

6.3% SEVIN® Brand Granular Carbaryl Insecticide

ACTIVE INGREDIENT

Carbaryl (1-naphthyl N-methylcarbamate).....	6.3%
INERT INGREDIENTS	93.7%
Total	100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: HARMFUL INHALED. Avoid breathing dust. Wear long-sleeved shirt, long pants, chemical-resistant gloves and shoes plus socks when handling this product. Remove clothing immediately if pesticide gets inside. Wash hands thoroughly before eating, drinking, chewing gum, tobacco, or using the toilet. Remove contaminated clothing and wash before reuse.

FIRST AID

If inhaled	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
------------	---

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact Chem-Trec at 1-800-424-9300 for emergency medical treatment information.

NOTE TO PHYSICIAN

Carbaryl is a N-methyl carbamate insecticide, which is a cholinesterase inhibitor. Overexposure to this substance may cause toxic signs and symptoms due to stimulation of the cholinergic nervous system. These effects of overexposure are spontaneously and rapidly reversible. Gastric lavage may be used if this product has been swallowed. Carbaryl poisoning may occur rapidly after ingestion and prompt removal of stomach contents is indicated. Specific treatment consists of parenteral atropine sulfate. Caution should be maintained to prevent overatropinization. Mild cases may be given 1 to 2 mg. intramuscularly every 10 minutes until full atropinization has been achieved and repeated thereafter whenever symptoms reappear. Severe cases should be given 2 to 4 mg. intravenously every 10 minutes until fully atropinized, then intramuscularly every 30 to 60 minutes as needed to maintain the effect for at least 12 hours. Dosages for children should be appropriately reduced. Complete recovery from overexposure is to be expected within 24 hours. Atropine is antidotal. Narcotics and other sedatives should not be used. Further, drugs like 2-PAM (pyridine-2-aldoxime methiodide) are NOT recommended. To aid in confirmation of a diagnosis, urine samples should be obtained within 24 hours of exposure and immediately frozen. Consultation on diagnosis, therapy and analysis can be obtained at all hours by calling the emergency number.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are barrier laminate, butyl rubber. If you want more options, follow the instructions for Category A on a EPA chemical-resistance selection chart. Loaders, applicators, and other handlers must wear:

- Long-sleeved shirt and long pants,
- Chemical-resistant gloves and
- Shoes plus socks

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Control Statements

When applicators use enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.240(d)(5), the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

Users should wash hands thoroughly with soap and water before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. For terrestrial uses, do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from area treated. Drift and runoff may kill aquatic invertebrates in water adjacent to treated areas. Do not contaminate water by cleaning equipment or disposal of wastes. Do not contaminate water when disposing of equipment wash waters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For requirements specific to your State or Tribe, consult the agency responsible for pesticide regulations.

Restrictions

Product is intended for occupational use. Do not enter or allow other to enter the treated area until dusts have settled. In addition, if directions for use require watering-in, do not enter or allow others to enter the treated area (except those involved in the watering-in) until the watering-in is completed and the area has dried. Do not use on sod farms. Product must be watered in immediately after application to residential lawns. This product may only be applied using ground application equipment. Calibrate and adjust application equipment to ensure proper application rate as specified to this label. Application by hand, spoon, shaker can, belly grinder or back-or-front-mounted spreader is prohibited.

Aerial application is prohibited

NOT FOR USE on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

DIRECTIONS

LAWNS, RECREATIONAL AND ORNAMENTAL TURF AREAS

To kill listed turfgrass pests, apply granules uniformly to the turfgrass. For best kill, follow specific directions for proper watering or irrigation after applications.

EPA Reg. No. 10404-61
EPA Est. No. 82757-OH-001 (M)

#019025

Watering-in is required immediately after application to residential lawns. This product will only kill pests present at the time of application. Pest must be directly contacted to be effective.

Insect:	Pounds of SEVIN Brand Granular Carbaryl Insecticide per 1,000 sq ft	Specific Directions
Ants (except pharaoh, harvester and carpenter ants), Armyworms, Centipedes, Chiggers, Chinch bugs, Crickets, Cutworms, Darkling ground beetles, Earwigs, Essex skipper, Fall armyworms, Fiery skipper, Grasshoppers, June beetles, Lawn moths (sod webworm), Lucerne, moth larvae, Millipedes, Sowbugs, Spittlebugs, Springtails, Yellow striped armyworms.	2.2 to 3.0	Irrigate thoroughly after application to remove chemical from granules and move it down into the thatch. Repeat applications as necessary up to a total of 4 times per year but not more often than once every 7 days.
White grubs Japanese Beetle, Chafer Beetles, Phyllophaga spp., and Green June beetle grubs) Bluegrass billbugs, European crane fly larvae.	3.0	For white grub kill, applications should be made when grubs are feeding near the soil surface, usually during late March through May or July to early September, or consult local agricultural extension agents for proper timing of application. To release insecticide from the granule to obtain best kill, irrigate with a sufficient quantity of water to wet down the soil line. Repeat applications as necessary up to a total of 4 times per year, but not more often than once every 7 days.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal

Pesticide Storage: Store unused product in original container only. Store in a cool, dry area and avoid excess heat. Keep out of children and animals.

If container is damaged, before cleaning up, put on long sleeved shirt, long pants, head covering, and protective gloves.

Pesticide Disposal: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Disposal: Nonrefillable container. Do not reuse or refill this container.

Completely empty bag into application equipment. Then offer for recycling if available, or dispose of empty bag in a sanitary landfill or by incineration; or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

LESCO ROTARY SPREADER SETTINGS

Lb. Product/ 1,000 sq ft	Effective Spreader Width	Third Hole	LESCO Calibration Gauge*
2.2	6.0	1	#10
3.0	8.2	8'	#12

*IMPORTANT: These settings are only approximate. Age, condition of spreader, and operator speed can cause wide variation. Be sure to calibrate your spreader with each application.

IN AND AROUND FLOWER BEDS AND ORNAMENTAL PLANTINGS AND AROUND OUTSIDE OF BUILDINGS

To kill ants (except harvester, pharaoh and carpenter ants), armyworms, cutworms, centipedes, crickets, earwigs, firebrats and silverfish, millipedes, sowbugs, scorpions and spiders; apply granules uniformly in a 6 foot band around the building. Apply at the rate of 0.7 lb of product per 1000 sq ft. Restrict applications to shrub and flower beds, foundations, ornamental plantings and lawn or soil areas immediately adjacent to the building. For best control, treated area should be lightly watered after application. Repeat as needed up to 4 times per year, but not more often than once every 7 days.

This product will only kill pests present at the time of application. Pest must be directly contacted to be effective.

CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully and completely. It is impossible to eliminate all risks inherently associated with the use of this product. To the extent consistent with applicable law, Buyer and/or User assume all risks of ineffectiveness or other unintended consequences or damages that may result from conditions outside or beyond the control of LESCO, Inc. including but not limited to, such factors as manner of use or application, weather or weather conditions outside the range considered normal at the application site or for the time period in which the product is applied, the presence of other materials, incompatible products, or other influencing factors which are beyond the control of LESCO, Inc. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and/or User, and Buyer and/or User agrees to hold LESCO, Inc. harmless for any claims relating to such factors.

LESCO, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with the Directions for Use under normal use conditions. To the extent consistent with applicable law, this warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of LESCO, Inc. and Buyer and/or User assume the risk of any such use. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, LESCO, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE BUYER AND/OR USER AND THE EXCLUSIVE LIABILITY OF LESCO, INC. FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF LESCO, INC. REPLACEMENT OF THE PRODUCT, OR IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL LESCO, INC. BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

LESCO, Inc. offers this product, and Buyer and/or User accepts it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of LESCO, Inc.

Information concerning the raw materials composing this product can be obtained by writing to: LESCO, Inc., Attn: RA Dept, 1301 East 9th Street, Suite 1300, Cleveland, Ohio 44114-1849, referring to the item number found on this bag.

Poly plus is comprised of Polymer Coated Sulfur Coated Urea.

LESCO is a registered trademark and the sweeping design is a trademark of LESCO Technologies, LLC. SEVIN is a registered trademark of Bayer.

C:\REGULWP\Review\Aprvrd-Lbl Word019025.doc

Rev. 12/2/09 VT

NET CONTENTS: 40 lb (18.1 kg)

F1580

Distributed by: LESCO Inc.
1301 East 9th Street
Cleveland, OH 44114-1849