

# CrossCheck® 0.069% Plus Fertilizer

For use by individuals/firms licensed or registered by the state to apply insecticide products. For use to control ants (including imported fire ants), mole crickets and other listed pests on turf in landscaped areas around residential, institutional, public, commercial and industrial buildings, parks, recreational areas and athletic fields.

Active Ingredient: Bifenthrin 0.069%  
Other Ingredients 99.931%  
100.000%

Contains LESCO® Poly Plus® Sulfur Coated Urea to provide uniform growth with extended nitrogen feeding.

\*Cis isomers 97% minimum, trans isomers 3% maximum.

## KEEP OUT OF REACH OF CHILDREN CAUTION – PRECAUCIÓN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail).  
See other panels for additional precautionary information.

# 8-0-16

### GUARANTEED ANALYSIS

Total Nitrogen (N)	8.00%
8.00% Urea Nitrogen*	
Soluble Potash (K <sub>2</sub> O)	16.00%
Magnesium (Mg) Total	1.00%
1.00% Water Soluble Magnesium (Mg)	
Sulfur (S) Total	5.50%
1.20% Free Sulfur(S)	
4.30% Combined Sulfur(S)	
Iron (Fe) Total	6.00%
0.06% Water Soluble Iron (Fe)	
Manganese (Mn) Total	2.00%
0.29% Water Soluble Manganese (Mn)	
DERIVED FROM: Polymer Coated Sulfur Coated Urea, Urea, Muriate of Potash, Sulfate of Potash, Iron Sulfate, Manganese Sulfate, Sulfate of Potash-Magnesia	
Chlorine (Cl) Max.	6.00%
*4.10% Slowly Available Urea Nitrogen from Polymer Coated Sulfur Coated Urea.	

F1560

Made in U.S.A.

### FIRST AID

If on Skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

### HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor. In case of medical emergency, contact The National Pesticide Information Center at 1-800-858-7378.

### NOTE TO PHYSICIAN

This product is a pyrethroid. If large amounts have been ingested, milk, cream and other digestible fats and oils may increase absorption and so should be avoided.  
FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure or accident, call CHEMTREC 1-800-424-9300.

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**Caution:** Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

#### ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply when weather conditions favor drift from treated areas. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street back onto the treated area of the lawn will help to prevent run off to water bodies or drainage systems.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production or for research purposes. Not for use on golf courses, sod farms, nurseries, commercial greenhouses or grass grown for seed.

Do not apply within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds.  
Do not apply more than 580 pounds of LESCO CrossCheck 0.069% Plus Fertilizer per acre per year.

Apply this product directly to the lawn area. Water treated area as directed on this label. Do not water to the point of run off.  
Do not make applications during rain.  
Do not apply by air.

#### SUGGESTED SPREADER SETTINGS

		Recommended Rates lbs per 1,000 sq ft	
		3.33 lb	6.66 lb
SPREADER TYPE	Calibration Gauge	#14	#19
LESCO Rotary		4	4%
Cyclone® or Spyker®		4	5%
Lely		22	36
Vicon			

E.P.A. Reg. No. 70506-123-10404

E.P.A. Est. No. 82757-OH-001 (M), 82757-FL-001 (S)

First letter in lot code indicates manufacturing site.

## #0915420 T

Classified for "RESTRICTED USE" in New York State

under 6NYCRR Part 326

IMPORTANT: Spreader settings are only approximate. Age, condition of spreader, and operator speed can cause wide variation in application rate. Spreader should be calibrated prior to each application by the operator.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.  
**Pesticide Storage:** Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use close tightly. In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills.

**To Confine Spill:** Cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling if available, or dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

### TURF AND PERIMETER APPLICATIONS

**Perimeter Application:** Apply 3.33 to 6.66 pounds per 1,000 sq. ft. to turf areas 6 to 10 feet wide around and adjacent to the structure.

**Turf Application:** Apply CrossCheck 0.069% Plus Fertilizer with suitable broadcast application equipment to ensure uniform coverage over the treatment area. Apply 3.33 to 6.66 pounds per 1,000 sq. ft. to control the following insect pests:

PESTS CONTROLLED	COMMENTS
Annual Blugrass Weevils ( <i>Hyperodes</i> ) (Adult) Armyworms Billbugs (Adult) Black Turfgrass <i>Ataenius</i> (Adult) Cutworms Leafhoppers Mealybugs Sod Webworms	
Ants Centipedes Chinch Bugs Fleas Millipedes Mole Crickets Ticks	Use the higher application rate for optimum control.
Imported Fire Ants	Use the higher application rate for optimum control; combine broadcast applications to control foraging workers and newly mated fly-in queens with mound treatments (using IJP-Star Gold, EPA Reg. No. 70506-24, or other pesticides registered for treating individual fire ant mounds) to control existing colonies.

In New York State, this product may NOT be applied to any grass or turf area within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).

In New York State, do make a single repeat application of LESCO CrossCheck 0.069% Plus Fertilizer if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

### CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully and completely. It is impossible to eliminate all risks inherently associated with the use of this product. To the extent consistent with applicable law, Buyer and/or User assume all risks of ineffectiveness or other unintended consequences or damages that may result from conditions outside or beyond the control of LESCO, Inc. including but not limited to, such factors as manner of use or application, weather or weather conditions outside the range considered normal at the application site or for the time period in which the product is applied, the presence of other materials, incompatible products, or other influencing factors which are beyond the control of LESCO, Inc. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and/or User, and Buyer and/or User agrees to hold LESCO, Inc. harmless for any claims relating to such factors.

LESCO, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with the Directions for Use under normal use conditions. To the extent consistent with applicable law, this warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of LESCO, Inc. and Buyer and/or User assume the risk of any such use. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, LESCO, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE BUYER AND/OR USER AND THE EXCLUSIVE LIABILITY OF LESCO, INC. FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF LESCO, INC., REPLACEMENT OF THE PRODUCT, OR IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL LESCO, Inc. BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

LESCO, Inc. offers this product, and Buyer and/or User accepts it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of LESCO, Inc.

Information concerning the raw materials composing this product can be obtained by writing to LESCO, Inc., Attn. RA Dept., 1385 East 36<sup>th</sup> Street, Cleveland, Ohio 44114-4114, referring to the item number found on this bag.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.lesco.com/labels.html>.

Poly Plus is comprised of Polymer Coated Sulfur Coated Urea.  
LESCO, CrossCheck and Poly Plus are registered trademarks and the sweeping design is a trademark of LESCO Technologies, LLC. Cyclone and Spyker are registered trademarks of Spyker Spreaders LLC.

G:\REGUL\PIPERVIEW\Labels in Process\0915420.DOC

Rev. 10/22/10 VT (121808)

Net Weight: 1000 lb (453.6 kg)

ACCEPTED

VIA NOTIFICATION

F1560 LABEL NOT REVIEWED

Distributed By

LESCO, Inc.

MAR 16 2012

1385 East 36<sup>th</sup> Street

Cleveland, OH 44114

New York State Department

of Environmental Conservation

Division of Materials Management

Pesticide Product Registration




Doc ID: 530639

# LESCO®

THIS IS REPRESENTATIVE OF THE ARTWORK FOR THE BAG TO WHICH THE ATTACHED LABEL IS AFFIXED. THE SWOOSH DESIGN COLOR VARIES ACCORDING TO TYPE OF PRODUCT:

- YELLOW:** Pre-Emergents
- ORANGE:** Fungicides
- BLUE:** Herbicides, Weed & Feed
- RED:** Insecticides
- BLACK:** Pest Control
- PURPLE:** Non-Selective Herbicides

# LESCO®



FREIGHT SHIPPING BAG  
Meeting Requirements of  
APPLICABLE FREIGHT CLASSIFICATION  
Guaranteed by  
HOOD PACKAGING CORPORATION  
TYLER, TEXAS

18 X 30

